

VERNON R. RICE §
OF COUNSEL



WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No. 15268-1
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: [HTTP://WWW.WYNLAW.COM](http://www.wynlaw.com)

AF/3641

In re application of

Gast et al.

Serial No. 09/646,767

Confirmation No. 7760

Filed: November 30, 2000

For: PROPELLANTS FOR GAS GENERATOR

Examiner: Aileen Baker Felton

Mail Stop APPEAL BRIEF - PATENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith are the following for entry in the above-identified application:

- Replacement Appeal Brief of Appellants and Appendix (each in triplicate) in response to the Notification of Non-Compliance. No additional fee is required.

X The Commissioner is hereby authorized to charge payment of any other fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this sheet are attached.

Dated this 15th day of November 2004.

Respectfully submitted,


J. M. H.

JOHN M. GUYNN
Registration No. 36,153
Attorney for Applicant
Customer No. 022913
(801) 533-9800

JMG:mla
MLA0000002689V001

BEST AVAILABLE COPY

* Admitted only in California
† Admitted only in New York
§ Admitted only in Virginia



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re application of:)
)
 Gast et al.)
)
 Serial No. 09/646,767) Art Unit
) 3641
 Confirmation No. 7760)
)
 Filed: November 30, 2000)
)
 For: PROPELLANTS FOR GAS GENERATOR)
)
 Examiner: Aileen Baker Felton)

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

I hereby certify that following documents are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated below in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Date of deposit: November 15, 2004.

- Appeal Brief (in triplicate)
- Appendix (in triplicate)
- Transmittal Letter
- Postcard

Respectfully submitted,

John M. Guynn
 Attorney for Applicant(s)
 Registration No. 36,153
 Customer No. 022913
 (801) 533-9800

JMG:mla

EXPRESS MAIL LABEL NO. EV462385899US

PATENT APPLICATION

Docket No. 15268.1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND
INTERFERENCES

In re application of)
)
Gast et al.)
)
Serial No	09/646,767) Art Unit
) 3641
Confirmation No.	7760)
)
Filed	November 30, 2000)
)
For	PROPELLANTS FOR GAS GENERATOR)
)
Examiner	Aileen Baker Felton)
)
Customer No.:	022913)

APPEAL BRIEF OF APPELLANTS

Mail Stop Appeal Briefs - Patent
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Appellants Eduard Gast, Bernhard Schmid, and Peter Semmler, previously filed a timely Notice of Appeal from the action of the Primary Examiner in finally rejecting all of the claims in this application. This Appeal Brief is being filed under the provisions of 35 U.S.C. § 134(a) and 37 C.F.R. § 1.192.

BEST AVAILABLE

REAL PARTY IN INTEREST

NIGU Chemie GmbH is the real party in interest, as evidenced by the front page of International Application Publication WO 99/48843, of which the current application is a national phase application filed under 35 U.S.C. § 371.

RELATED APPEALS AND INTERFERENCES

None.

STATUS OF CLAIMS

Pending claims: 1-23.

Rejected claims: 1-4 and 9-22.

Allowed claims: 23.

Claims objected to: 5-8.

Appealed claims: 1-4 and 9-22.

STATUS OF AMENDMENTS

Amendment “D” and Response After Final Rejection under 37 C.F.R. § 1.116, filed March 16, 2004, has not been entered according to the Advisory Action dated April 1, 2004.

SUMMARY OF THE INVENTION

The invention is directed to propellants for gas generators used in deploying safety air bags in automobiles. Application, p. 1, *ll.* 1-6. The propellants comprise (a) at least one fuel, (b) at least one oxidizing agent, and (c) at least one slag trap comprising metal oxide particles formed by a gas phase reaction and that have a specific surface area of at least about 40 m²/g. *Id.*, p. 7, *l.* 19 – p. 6; p. 9, *ll.* 11-23. Such “metal oxides have no pores and no defined agglomerates as is usually the case in the preparation by a wet process.” *Id.*, p. 9, *ll.* 23-25. “[T]he slag traps according to the present invention do not take part in chemical reactions during

the burn-up reaction of the propelling charges for gas generators or do take part only to a small degree on the surface of the metal oxides used as a slag trap.” *Id.*, p. 10, *ll.* 16-21.

Claims 9 and 22 further claim slag trap particles that are “highly dispersed”, which is a literal translation of the German term “hochdispers” – “a term of art that refers to very particular properties of the metal oxides referred to in the literature with respect to particle structure and particle size and wherein the ‘highly dispersed’ metal oxides are prepared according to a specific process, *i.e.*, flame hydrolysis.” Preliminary Amendment, p. 2, *ll.* 6-10 (part of paragraph inserted at p. 9, *l.* 21 of Application). “Metal oxides prepared according to processes such as a wet process are not in ‘highly dispersed’ form.” *Id.*, p. 2, *ll.* 10-11. Metal oxides such as Al_2O_3 , TiO_2 or ZrO_2 in highly dispersed form have “highly resolved lattices” (*i.e.*, a “large inner surface”) and cause “cooling of the burn-up products due to their inactivity” and also result in the take-up of liquid or solid slag portions and particles developed during burn-up. Application, p. 10, *ll.* 21-27.

In general, the slag trap particles cause the propellant composition to remain in “tablet form” during or after combustion or as “fragments and pieces” that “can be easily filtered”. *Id.*, p. 10, *ll.* 27-29. This eliminates virtually all dust that might otherwise be formed by the burning composition. *Id.*, p. 10, *ll.* 29-32. In this way, the slag trap particles act “as an internal filter” and “substantially prevent the formation and exit of dust-type slag portions from the housing of the gas generator.” *Id.*, p. 11, *ll.* 1-4. The slag trap particles result in “an essential simplification of the filter of the housing of the gas generator”. *Id.*, p. 11, *ll.* 4-6. As a result, “additional (mechanical) fine filters in the housing of the gas generator are in part not necessary”. *Id.*, p.11, *ll.* 6-8. This reduces the weight of the airbag gas generator. *Id.*, p.11, *ll.* 8-9. Use of the slag trap particles minimizes dust-type particles that can exit the gas generator and enter a person’s lungs. *Id.*, p.11, *ll.* 10-14.

ISSUES

1. Whether claims 1-4 and 9-22 are unpatentable under 35 U.S.C. § 103 as being obvious over U.S. Patent No. 6,149,745 to *Matsuda* et al. (“*Matsuda*”) in view of U.S. Patent No. 5,827,996 to *Yoshida* et al. (“*Yoshida*”).

2. Whether claims 1-4 and 9-22 are unpatentable under 35 U.S.C. § 103 as being obvious over U.S. Patent No. 6,190,474 to *Yamato* (“*Yamato*”) in view of *Yoshida*.

GROUPING OF CLAIMS

Claims 1-4 and 10-21 stand or fall together.

Claims 9 and 22 stand or fall together.

ARGUMENT

I. SUMMARY OF OFFICE ACTIONS

A. Office Action Dated January 16, 2004

The Office Action of January 16, 2004 (“Office Action”) finally rejected claims 1-4 and 9-22 under 35 U.S.C. § 103(a) as being unpatentable over *Matsuda* in view of *Yoshida*. The Office Action also finally rejected claims 1-4 and 9-22 under 35 U.S.C. § 103(a) as being unpatentable over *Yamato* in view of *Yoshida*. Because neither *Matsuda* nor *Yamato* (“primary references”) teach or suggest every limitation recited in the claims, the Office Action combined these two admittedly deficient references with *Yoshida* (“secondary reference”) in an effort to show that the claims are obvious over the combination.

More specifically, this and previous office actions have acknowledged that, among other things, neither *Matsuda* nor *Yamato* teach or suggest the use of the claimed slag trap particles in a propellant for gas generators. For this reason, the Office Action combined the primary references with *Yoshida* which, although silent with respect to trapping slag, discloses a burn catalyst that the Office Action contends constitutes the claimed slag trap particles.

B. Advisory Action Dated April 1, 2004

Amendment “D” and Response was filed March 16, 2004 in response to the Office Action and as a follow up to an Examiner Interview held the same day. This amendment did not amend any claims but showed why the Office Action failed to make out a *prima facie* case of obviousness. Though no claims were amended, the Examiner refused entry of the amendment on the grounds that the arguments “present new issues and are not persuasive”. Advisory Action. The Advisory Action failed to rebut any of the arguments set forth in Amendment “D” and Response.

II. INCORPORATION OF PREVIOUS ARGUMENTS

Appellants incorporate by reference the arguments in support of patentability set forth in Amendment “D” and Response in their entirety. To the extent they still apply, Appellants also incorporate the arguments set forth in Amendment “C” and Response filed November 6, 2003.

III. ARGUMENT IN SUPPORT OF CLAIM GROUPINGS

Claims 1-4 and 10-21 stand or fall together because they claim a propellant composition comprising at least one fuel and at least one oxidizing agent in combination with “at least one essentially chemically-inert slag trap” composed of metal oxide “particles formed by a gas phase reaction” and that “have a specific surface area of at least about 40 m²/g.”

Claims 9 and 22 stand or fall together because they further require the claimed metal oxide slag trap particles to be “highly dispersed”. The recitation of the term “highly dispersed” creates an additional evidentiary burden that must be met when rejecting claims 9 and 22.

IV. THE OFFICE ACTION FAILS TO STATE A PRIMA FACIE CASE OF OBVIOUSNESS RELATIVE TO CLAIMS 1-4 AND 9-22 BASED ON THE COMBINATIONS OF MATSUDA AND YOSHIDA AND YAMATO AND YOSHIDA

The Office Action fails to state a *prima facie* case of obviousness over the cited art because it (1) fails to show any valid motivation in the prior art to combine the references, (2) fails to show where the combined teachings of the applied art teach or suggest every limitation recited in the claims, and (3) fails to show any reasonable expectation of success based on the prior art. *See* MPEP § 2143. Failure to establish any one of the three requirements set forth in MPEP § 2143 is fatal to a rejection. In this case, the Office Action fails to show any.

A. The Office Action Fails to Articulate any Valid Motivation for Combining the Applied Art

1. *The Alleged Motivation for Combining Matsuda and Yoshida is Based on Mischaracterizations and Unsupported Assumptions Regarding the Teachings Found Therein*

The Office Action alleges the following motivation for combining *Matsuda* with *Yoshida*:

It would have been obvious to use the titanium dioxide taught by *Yoshida* et al with the composition of *Matsuda* since *Yoshida* suggests that it will function to reduce the concentrations of CO and NO_x and this is the purpose of the titanium oxide fiber disclosed in *Matsuda*.

Office Action, page 3 (emphasis added).

There are at least two errors contained in the foregoing statement: (1) reducing the concentration of CO and NO_x is not taught in *Matsuda*; and (2) *Matsuda* does not teach or suggest the use of titanium oxide fiber. In addition, Appellants learned during the Examiner Interview that the Examiner believes (albeit erroneously) that the catalysis function disclosed in *Yoshida* is inherently the same as the “scavenging” function disclosed in *Matsuda* (i.e., the Examiner feigned to see no meaningful differences between “catalyzing” the reduction of CO and NO_x during combustion and “scavenging” slag formed as a result of combustion).

First, *Matsuda* neither teaches nor suggests anything with respect to reducing the concentration of CO and NOx. *Matsuda* discloses “a gas generant composition containing a fuel comprising a metal azide or an organic compound, an oxidizing agent, and at least one additive selected from a ceramic whisker or fiber.” Col. 2, lines 15-18. Previous office actions identified the “ceramic whisker or fiber” as being similar to the slag trap particles of the present invention. While *Matsuda* suggests that the ceramic whisker or fiber provides “a scavenging effect of a solid residue” there is no teaching or suggestion that they “will function to reduce the concentrations of CO and NOx” as alleged in the Office Action. See *Matsuda*, col. 2, lines 50-65; Office Action, page 3. Moreover, *Yoshida* does not teach that the burning catalyst actually interacts with CO and NOx, only that it “decrease[s] the burning temperature” so as to “reduce the concentration of CO and NOx”. *Yoshida*, col. 5, lines 24-26. In contrast, the “scavenging effect” of the ceramic whisker or fiber in *Matsuda* obviously requires a direct interaction with whatever is being scavenged.

Second, *Matsuda* neither teaches nor suggests the use of “titanium dioxide fiber”. See *Matsuda*, col. 2, lines 50-65 (which only discloses “whiskers or fibers selected from aluminum borate, potassium titanate, alumina, aluminum silicate, zirconium oxide, and zinc oxide”). When confronted with this error during the Examiner Interview, the Examiner represented that she meant to say that *Matsuda* teaches the use of “zirconium oxide” fibers rather than “titanium dioxide” fibers and admitted that the Office Action contains a typographical error. Aside from the fact that the Examiner never attempted to correct this admitted typographical error (*i.e.*, no supplemental office action was ever sent), this new argument is equally off-base because *Yoshida* does not teach or suggests the use of zirconium oxide particles. According to *Yoshida*,

Specific examples of the oxides of metals of the 4 to 6 periods in the periodic table are copper oxide, nickel oxide, cobalt oxide, iron oxide, chromium oxide, manganese oxide, zinc oxide, calcium oxide, titanium oxide, vanadium oxide, cerium

oxide, holmium oxide, ytterbium oxide, molybdenum oxide, tungsten oxide, antimony oxide, tin oxide, titanium oxide and the like. Among them, copper oxide, nickel oxide, cobalt oxide, molybdenum oxide, tungsten oxide, iron oxide, tin oxide, zinc oxide and chromium oxide are preferred, and CuO, CoO, NiO, Ni₂O₃, MoO₃, Cr₂O₃, TiO₂, SnO, ZnO and Fe₂O₃ are particularly preferred.

Col. 5, lines 32-42. Therefore, the supposed clarification by the Examiner during the Examiner Interview perpetuates the error and provides no more motivation to combine *Yoshida* with *Matsuda* than the admitted typographical error contained in the Office Action.

In fact, none of the substances used to make the “ceramic whiskers or fibers” of *Matsuda* are disclosed in *Yoshida*, and none of the substances used to make the “burning catalyst” in *Yoshida* are disclosed in *Matsuda*. They appear to be mutually exclusive sets. Not only that, they serve entirely different functions (*i.e.*, the ceramic whisker or fiber of *Matsuda* is used to scavenge “solid residue” whereas the burning catalyst of *Yoshida* is used to reduce the burning temperature). Because of this, there would have been no motivation to combine *Matsuda* with *Yoshida*, let alone to obtain a propellant composition containing the slag trap recited in claims 1 and 22 (*i.e.*, a slag trap that is “at least one of Al₂O₃, TiO₂, or ZrO₂ particles formed by a gas phase reaction”).

Third, notwithstanding views to the contrary expressed by the Examiner during the Examiner Interview, the function of the “ceramic whisker or fiber” of *Matsuda* has nothing to do with the function of the “burning catalyst” disclosed in *Yoshida*. According to *Yoshida*, “[t]he burning catalyst is considered to serve mainly to decrease the burning temperature and reduce the concentrations of CO and/or NO_x in the gas.” *Id.* at col. 5, lines 24-26. In contrast, the purpose of the ceramic whisker or fiber of *Matsuda*, though not altogether clear, seems to be for the purpose of “scavenging”. *See Matsuda*, col. 2, line 61. When Appellants’ representative tried to explain the difference between a “scavenger” and “catalyst” during the Examiner Interview, the Examiner responded by claiming she could see no difference between the two.

It is clear that the terms “scavenge” and “scavenger” mean something quite different than “catalyze” and “catalyst”. According to THE AMERICAN HERITAGE DICTIONARY OF THE ENGLISH LANGUAGE 1160 (1981) (a copy of which is attached as Exhibit A), the word “scavenge” means: “1. To collect and remove refuse from; clean up.”; “5. *Metallurgy*. To clean (molten metal) by chemically removing impurities”. The word “scavenger” similarly means: “3. *Chemistry*. A substance added to a mixture to remove impurities or to counteract the undesirable effects of other constituents”. *Id.* Thus, “scavenge” and “scavenger” refer to a process or substance that physically collects or gathers something. A scavenger has a finite ability to scavenge (*i.e.*, like a sponge, once full or spent it can no longer scavenge).

In contrast, the word “catalyze” means “[t]o modify the rate of (a chemical reaction) as a catalyst”. THE AMERICAN HERITAGE DICTIONARY OF THE ENGLISH LANGUAGE 211 (1981) (a copy of which is attached as Exhibit B). The word “catalyst” similarly means: “1. *Chemistry*. A substance, usually present in small amounts relative to the reactants, that modifies, especially increases, the rate of a chemical reaction without being consumed in the process.” *Id.* Thus, “catalyze” and “catalyst” refer to a process or substance that increases the rate of a chemical reaction without itself being consumed. The nature of a catalyst is that it promotes a chemical reaction; it does not scavenge, collect or bind impurities. In fact, the ability of a catalyst to catalyze a reaction is theoretically infinite. In contrast, the ability of a scavenger to scavenge is finite. In view of the foregoing, the Examiner’s view that “scavenging” and “catalysis” mean essentially the same thing is clearly erroneous.

In view of the foregoing, Appellants submit that the Office Action fails to articulate any valid motivation for combining *Matsuda* and *Yoshida*. For at least this reason, the Office Action fails to state a *prima facie* obviousness rejection of claims 1-4 and 9-22 over *Matsuda* and *Yoshida*. See MPEP § 2143.

2. *The Alleged Motivation for Combining Yamato and Yoshida is Illogical and Incomplete*

Yamato is even more deficient than *Matsuda* with respect to the claimed slag trap particles because, unlike the ceramic whisker of fiber *Matsuda*, the *Yamato* composition does not include any component that can arguably scavenge slag. For this reason, there is a clear gap in the Examiner's reasoning. It's as if the Examiner were relying on the same erroneous argument made with respect to *Matsuda* and *Yoshida*, except that the Office Action, through slight of hand, conveniently fails to even mention *Matsuda* in this rejection or identify any component in *Yamato* that is arguably similar to the "burning catalyst" of *Yoshida*. In fact, the alleged motivation for combining *Yamato* and *Yoshida* at page 4 of the Office Action does not even allege that the "burning catalyst" of *Yoshida* provides the same or similar function as any component disclosed in *Yamato*. According to the Office Action,

It would have been obvious to use the titanium dioxide taught by Yoshida et al with the composition of *Yamato* since Yoshida suggests that it will function to reduce the concentrations of CO and NO_x. Since combustion of the similar composition of *Yamato* will result in slag formation it would be a benefit to use the titanium oxide teaching to reduce the formation of harmful CO and NO_x.

Office Action, page 4. The last sentence is nonsensical.

According to the garbled reasoning of that sentence, one of skill in the art is alleged to have been motivated to "use the titanium oxide" of *Yoshida* because "combustion of" the *Yamato* composition "will result in slag formation", which therefore motivates one to use TiO₂ "to reduce formation of harmful CO and NO_x." The alleged motivation for combining *Yamato* with *Yoshida* is therefore illogical on its face because there is no technical relationship between trapping the slag (which is solid or molten) allegedly produced by the *Yamato* composition and using the burning catalyst of *Yoshida* to "decrease the burning temperature and reduce the concentrations of CO and NO_x" (which are gases). See *Yoshida*, col. 5, lines 24-26. That *Yoshida* teaches the use of a burning catalyst to reduce the burning temperature of the disclosed

composition provides absolutely no motivation to modify *Yamato* in a manner that would trap slag (*i.e.*, why would the skilled artisan attempt to trap slag using a burn catalyst?)

Moreover, the alleged motivation to combine *Yamato* with *Yoshida* begs the question as to why one of skill in the art would have been motivated to modify *Yamato* to trap the slag allegedly produced by the *Yamato* composition in the first place. Since neither *Yamato* nor *Yoshida* state anything with respect to slag formation, let alone that it might be desirable or beneficial to trap slag, the combined teachings of these two references provide no motivation or suggestion to solve this apparently unknown problem.

Though *Matsuda* discloses the use of ceramic fibers or whiskers to provide a “scavenging effect”, thereby arguably providing the motivation to scavenge slag, this teaching does not suggest to the skilled artisan the desirability of adding the burning catalyst of *Yoshida* to the composition of *Yamato*. At best, it may have motivated the skilled artisan to include the ceramic fibers or whiskers of *Matsuda*. However, the Office Action admits that *Matsuda* fails to disclose a propellant composition comprising slag trap particles in combination with a fuel and oxidizing agent (otherwise, the claims would have been rejected as anticipated by *Matsuda*).

In view of the foregoing, Appellants submit that the Office Action fails to articulate any valid motivation for combining *Yamato* and *Yoshida*. For at least this reason, the Office Action fails to state a *prima facie* obviousness rejection of claims 1-4 and 9-22 over *Yamato* and *Yoshida*.

B. The Office Action Fails to Show That the Combined Teachings of the Applied Art Teach or Suggest Every Claim Limitation

Claim 1 recites the inclusion of slag trap “particles formed by a gas phase reaction”. Claims 9 and 22 further require such particles to be “highly dispersed”. The advantage of such particles in trapping slag over particles formed by a wet process is clearly explained in the

description of the invention. Application, p. 10, *l.* 15 – p. 11, *l.* 14. As discussed in previous amendments, the ceramic whiskers or fibers of *Matsuda* are neither “formed by a gas phase reaction” nor are they “highly dispersed” (*i.e.*, have “a large inner surface” as a result of having “highly resolved lattices”). Moreover, the Office Action fails to even allege that any of *Matsuda*, *Yamato* or *Yoshida* teach or suggest the use of slag trap “particles formed by a gas phase reaction”, as recited in claims 1 and 22. The Office Action likewise fails to allege that the applied art discloses particles that are “highly dispersed”, as recited in claims 9 and 22.

Rather than showing where the cited art teaches or suggests the use of “particles formed by a gas phase reaction” and/or particles that are “highly dispersed”, the Office Action argues that the burning catalyst particles of *Yoshida* inherently do the same thing as the claimed slag trap particles. Office Action, page 5. Whether true or not, that assertion entirely misses the point. It is not enough for an Examiner to simply allege that one or more of the recited elements inherently behave, or perform the same or similar function, as allegedly similar elements taught in the cited art. In order for there to be *prima facie* obviousness, “the prior art reference (or references when combined) must teach or suggest all the claim limitations”. MPEP § 2143 (emphasis added). The Office Action fails to make this required showing.

In short, Appellants submit that the Office Action has failed to show where *Matsuda*, *Yamato* and *Yoshida* “teach or suggest all the claim limitations” as required by MPEP § 2143. For this additional reason, the Office Action fails to state a *prima facie* obviousness rejection of claims 1-4 and 9-22 over either *Matsuda* and *Yoshida* or *Yamato* and *Yoshida*. *See id.*

C. The Office Action Fails to Show Where the Prior Art Provides a Reasonable Expectation of Success

The purpose of the slag trap particles recited in claims 1 and 22 is to trap slag that is generated during combustion of the claimed propellant composition in order to facilitate the

removal of slag by filtration. The Office Action assumes, without citing to any teaching in the art, that combining the primary references with *Yoshida* would inherently yield a composition capable of trapping slag produced during burning of a gas generating propellant composition. See Office Action, pp. 5-6. In support of this notion, the Office Action insinuates, without providing any evidence, that the current application merely calls the elements disclosed in the cited art by a different name. *Id.* In particular, the Office Action argues that “Applicant cannot remove the effects of these components merely by calling them by another name”. *Id.* at page 5. However, that statement begs the question as to whether the components disclosed in the cited art would, in fact, be reasonably expected to succeed in removing slag from a burning propellant composition based on teachings found in the prior art. That the “burning catalyst” of *Yoshida* might reasonably be expected to reduce the “burning temperature” and “the concentrations of CO and/or NOx” provides no basis, likelihood or expectation that it would also be able to trap slag produced by a propellant composition during combustion.¹

It appears that the Examiner’s subjective belief that the burning catalyst of *Yoshida* acts as a slag trap was derived from the present application, not any identifiable teaching found in the art. However, the MPEP makes it crystal clear that the reasonable expectation of success “must . . . be found in the prior art, not in applicant’s disclosure”. MPEP § 2143 (emphasis added) (citing *In re Vaeck*, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991)). For this yet this additional reason, Appellants submit that the Office Action fails to state a *prima facie* obviousness rejection of claims 1-4 and 9-22 over either *Matsuda* and *Yoshida* or *Yamato* and *Yoshida*. See MPEP § 2143.

¹ Even if it could be shown that slag trap particles can also act as a burning catalyst, that alone would not prove the converse (*i.e.*, that the burning catalyst of *Yoshida* also acts as a slag trap).

V. THE OFFICE ACTION MISCHARACTERIZES THE CLAIMS AT ISSUE, THEREBY EVIDENCING THAT THE EXAMINER FAILED TO CONSIDER ALL THE CLAIM ELEMENTS

When responding to the arguments set forth in Amendment “C” and Response regarding the claimed slag trap particles, the Office Action denied that the claims require “particles”: “applicant’s claims do not require a particle, the claims only require a certain surface area”. Office Action, p. 4 (emphasis added). This statement by the Examiner is clearly erroneous because claims 1 and 22 each recite “particles formed by a gas phase reaction” (emphasis added). Because the rejections of Appellants’ claims and arguments were based on a clearly erroneous assumption on the part of the Examiner (*i.e.*, that the “claims do not require a particle”), this is further evidence that the Examiner failed to consider all of the claim elements when comparing the claims to the cited art, in violation of MPEP § 2143. This failure on the part of the Examiner to consider the word “particles” when determining the scope of the claims is consistent with the Examiner’s failure consider other important terms found in the claims (*i.e.*, particles “formed by a gas phase reaction” and/or particles that are “highly dispersed”).

VI. THE OFFICE ACTION FAILS TO SUPPORT ITS INHERENCY ARGUMENTS WITH ANY EVIDENCE BUT APPEARS TO RELY SOLELY ON HINDSIGHT

When rejecting the arguments set forth in Amendment “C” and Response, the Office Action expressed the opinion that the burning catalyst of *Yoshida* would inherently act to trap slag. Office Action, pp. 5-6. However, simply alleging that a substance inherently performs a function without providing supporting evidence is improper. According to MPEP § 2112,

EXAMINER MUST PROVIDE RATIONALE OR EVIDENCE TENDING TO SHOW INHERENCY

The fact that a certain result or characteristic may occur or be present in the prior art is not sufficient to establish the inherency of that result or characteristic. *In re Rijckaert*, 9 F.3d 1531, 1534, 28 USPQ2d 1955, 1957 (Fed. Cir. 1993) (reversed rejection because inherency was based on what would result due to optimization of conditions, not what was necessarily present in the prior art); *In re Oelrich*, 666 F.2d 578, 581-82, 212 USPQ 323, 326 (CCPA 1981). “To establish inherency, the extrinsic evidence ‘must

make clear that the missing descriptive matter is necessarily present in the thing described in the reference, and that it would be so recognized by persons of ordinary skill. Inherency, however, may not be established by probabilities or possibilities. The mere fact that a certain thing may result from a given set of circumstances is not sufficient.’ ” *In re Robertson*, 169 F.3d 743, 745, 49 USPQ2d 1949, 1950-51 (Fed. Cir. 1999) (citations omitted) (The claims were drawn to a disposable diaper having three fastening elements. The reference disclosed two fastening elements that could perform the same function as the three fastening elements in the claims. The court construed the claims to require three separate elements and held that the reference did not disclose a separate third fastening element, either expressly or inherently.).

“In relying upon the theory of inherency, the examiner must provide a basis in fact and/or technical reasoning to reasonably support the determination that the allegedly inherent characteristic necessarily flows from the teachings of the applied prior art.” *Ex parte Levy*, 17 USPQ2d 1461, 1464 (Bd. Pat. App. & Inter. 1990) (emphasis in original) (Applicant’s invention was directed to a biaxially oriented, flexible dilation catheter balloon (a tube which expands upon inflation) used, for example, in clearing the blood vessels of heart patients). The examiner applied a U.S. patent to Schjeldahl which disclosed injection molding a tubular preform and then injecting air into the preform to expand it against a mold (blow molding). The reference did not directly state that the end product balloon was biaxially oriented. It did disclose that the balloon was “formed from a thin flexible inelastic, high tensile strength, biaxially oriented synthetic plastic material.” *Id.* at 1462 (emphasis in original). The examiner argued that Schjeldahl’s balloon was inherently biaxially oriented. The Board reversed on the basis that the examiner did not provide objective evidence or cogent technical reasoning to support the conclusion of inherency.).

In the present case, the Examiner relied on the unsupported assertion that the “burning catalyst” of *Yoshida* inherently functions as a “slag trap” within the meaning of this term, as defined and claimed in the present application. Office Action, pp. 5-6. When asked by Appellants’ representative during the Examiner Interview how the Examiner knew this, the Examiner simply replied that “that’s what they [titanium particles] do” even though none of the art relied upon in the Office Action teaches or suggests this concept. According to MPEP § 2112 the PTO has therefore failed to meet its burden of showing that the “burning catalyst” of *Yoshida* inherently behaves as a slag trap. The flippant statement in the Office Action that “the Applicant appears to argue that he has somehow changed titanium oxide to make it work differently than it does for everyone else” can’t erase the failure on the part of the Examiner to provide any

“objective evidence or cogent technical reasoning” that the burning catalyst of *Yoshida* inherently constitutes a “slag trap” as defined in claims 1 and 22, as required by MPEP § 2112.

Moreover, it has never been Appellants’ position that they somehow discovered how to make the burning catalyst of *Yoshida* “work differently than it does for everyone else”. Instead, the present Application discloses and claims slag trap particles that are “formed by a gas phase reaction” in order for the particles to behave differently than particles formed in other ways (*e.g.*, by a wet process). Application, p. 9, *ll.* 21-30. In other words, Appellants discovered that using different particles yields different results. The differences described in the Application between slag trap particles formed by a gas phase reaction and particles formed in other ways (*e.g.*, by a wet process) is sufficient, in any event, to rebut any allegation of inherency. Since this evidence remains unrebutted (the Office Action merely stating an unsupported opinion), there is no basis for a finding that the burning catalyst of *Yoshida* is inherently the same as the claimed slag trap particles.

In any event, claims 1 and 22 not only claim particles capable of trapping slag during combustion of the claimed composition, they also require slag trap particles “formed by a gas phase reaction” and/or that are “highly dispersed”. Claims 1 and 22 do not purport to encompass any other type of particles. Nor have Appellants ever argued that they do. Mocking the Appellants for allegedly claiming to have changed the nature of the burning catalyst of *Yoshida* is a naked attempt by the Examiner to shift the attention away from the Examiner’s own failure to provide any shred of evidence in support of her contention that the burning catalyst of *Yoshida* inherently acts as a “slag trap”. This ruse also does not offset the glaring failure of the Office Action to provide any evidence that the burning catalyst of *Yoshida* is “formed by a gas phase reaction”, or comprises particles that are “highly dispersed”. As stated above, MPEP § 2112 requires more than mere assertions or possibilities when alleging inherency. It requires

“objective evidence” and “cogent technical reasoning to support the conclusion of inherency”.

The Office Action has provided neither.

Moreover, the allegation that the “burning catalyst” of *Yoshida* would successfully trap slag appears to be based entirely on hindsight, using the present application as a template to piece together disparate and unrelated teachings in the cited art. The only teaching in the record for the proposition that titanium dioxide particles having a specific surface area of at least about 40 m²/g are good at trapping slag is found in the present Application. It is well-established that hindsight analysis is not a legitimate basis for rejecting claims.

Finally, in the context of obviousness, inherency is largely immaterial. The CCPA clearly stated that

[t]he inherency of an advantage and its obviousness are entirely different questions. That which may be inherent is not necessarily known. Obviousness cannot be predicated on what is unknown.

In re Shetty, 566 F.2d 81, 86, 195 USPQ 753, 756-57 (CCPA 1977) (emphasis added) (quoting *In re Spormann*, 363 F.2d 444, 448, 150 USPQ 449, 452 (CCPA 1966)); *See also In re Naylor*, 369 F.2d 765, 768, 152 USPQ 106, 108 (CCPA 1966) (“[Inherency] is quite immaterial if . . . one of ordinary skill in the art would not appreciate or recognize the inherent result”); *In re Rijckaert*, 9 F.3d 1531, 1533, 28 USPQ2d 1955, 1957 (Fed. Cir. 1993).

In the present case, the Office Action argues that including titanium dioxide would inherently act as a slag trap, but since the prior art does not recognize that the burning catalyst of *Yoshida* might also be a slag trap, the position of the Office Action begs the question as to why one of skill in the art would have been motivated in the first place to make the alleged modification of the primary references to include the burning catalyst of *Yoshida*. The entire rejection appears to rest on (1) hindsight as the sole motivation to combine the primary and secondary references and (2) an unsupported assertion of inherency, based either on hindsight or

pure conjecture, as the sole justification as to why the combination and alleged modification makes any sense.

VII. CLAIMS 1-4 AND 9-22 ARE NOT PRIMA FACIA OBVIOUS OVER THE COMBINATION OF MATSUDA OR YAMATO AND YOSHIDA

In addition to the factually inaccurate and legally unjustifiable rejections set forth in the Office Action, claims 1-4 and 9-22 are, in fact, unobvious over the cited art. As stated above, *Matsuda* neither teaches nor suggests the use of slag trap particles. In fact, *Matsuda* appears to teach away from the use of particles by arguing that ceramic whiskers or fibers are superior to particles with respect to their respective “scavenging effect[s]”: “A whisker or fiber is short in a length and small in an aspect ratio, and a particulate one is notably reduced in a scavenging effect of a solid residue since it is not arranged in a steric network form.” *Matsuda*, col. 2, lines 59-63 (emphasis added). Such scavenging of the “solid residue” is evidently the result of the whisker or fiber being “arranged in a steric network form”, unlike “a particulate one”, which is not so arranged. *See id.* Moreover, because *Matsuda* expressly teaches that particles are “not arranged in a steric network form” (col. 2, lines 59-63), one of skill in the art clearly would not have been motivated to substitute the ceramic whisker or fiber of *Matsuda* with the burning catalyst particles of *Yoshida*. *See W.L. Gore & Associates, Inc. v. Garlock, Inc.*, 721 F.2d 1540, 220 USPQ 303 (Fed. Cir. 1983), cert. denied, 469 U.S. 851 (1984) (A prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention).

Yamato is even further removed from the claims of the present invention because it neither teaches nor suggests any component that can even remotely be considered to be a slag trap. The only document that teaches that particles, when properly selected, can act as a slag trap

is the present application, which is not available for purposes of establishing the necessary motivation to combine.

Nor can any reasonable expectation of success be found in the prior art. The only document that teaches that high surface area particles might, when properly selected, act to trap slag is the present application, which is not available for purposes of showing reasonable expectation of success.

Finally, the combined teachings of *Matsuda* and *Yoshida* or *Yamato* and *Yoshida* fail to teach or suggest every limitation found in the claims (*e.g.*, “slag trap . . . particles formed by a gas phase reaction”, as recited in claims 1 and 22, or “slag trap . . . particles” that are “highly dispersed”, as further recited in claim 22). The claims are not only limited to particles that have a specific surface area, but to particles formed in a certain manner (*i.e.*, by a gas phase reaction) that renders them suitable for use as a slag trap. Particles that do not act as a slag trap, even particles having a high specific surface area within the claimed parameters but, *e.g.*, formed by a “wet process”, do not meet the “slag trap . . . particles” limitation of the claims.

In short, none of the applied art teaches or suggests how to select particles, from among the universe of particles, that would be suitable as a slag trap. Moreover, the applied art does not even recognize the importance of trapping slag using slag trap particles, or that failing to trap slag formed during combustion or a propellant is a problem that needs a solution. For that reason, the applied art provides no teaching or suggestion that would have motivated one of skill in the art to modify *Matsuda* or *Yamato* to include “slag trap . . . particles” of any kind, let alone slag trap particles having the specific characteristics recited in claims 1 and 22.

VIII. CLAIMS 1-4 AND 9-22 CLAIM A COMPOSITION THAT HAS UNEXPECTED RESULTS RELATIVE TO THE APPLIED ART

Even assuming *arguendo* that claims 1-4 and 9-22 are *prima facie* obvious over the applied art, a point which Appellants in no wise concede, Appellants can rebut *prima facie* obviousness based on the secondary consideration of unexpected results. According to MPEP § 716.02(a),

Presence of a property not possessed by the prior art is evidence of nonobviousness. *In re Papesch*, 315 F.2d 381, 137 USPQ 43 (CCPA 1963) (rejection of claims to compound structurally similar to the prior art compound was reversed because claimed compound unexpectedly possessed anti-inflammatory properties not possessed by the prior art compound). . . .

In the present case, claims 1 and 22 claim a propellant that includes “slag trap . . . particles”, which, according to evidence set forth in the application, are capable of acting as an “internal filter” that traps slag. *See* Application, p. 1, *ll.* 6-12; p. 10, *l.* 15 – p. 11, *l.* 14. This is an unexpected result in view of any teaching found in the prior art. While it may have been known that certain types of particles help catalyze combustion of propellant compositions (*e.g.*, so as to reduce burning temperature and reduce concentrations of CO and NO_x, as taught in *Yoshida*), it was unknown that particles “formed by a gas phase reaction” and/or that are “highly dispersed” are capable of trapping slag. That is further evidence that the claims are unobvious over the applied art.

PRAYER FOR RELIEF

In view of the foregoing, Appellants respectfully request the Board to vacate the final rejection and order the Examiner to allow each of the claims on appeal.

Dated this 15th day of November 2004.

Respectfully submitted,



JOHN M. GYNN
Registration No. 36,153
Attorney for Applicant
Customer No. 022913

JMG:mla

W:\15268\1JMG0000000392V001.doc

scat (skāt) *n.* A type of jazz singing consisting of the improvisation and repetition of meaningless syllables sung to a melody. —*intr. v.* scatted, scatting, scats. To sing in this manner. [Perhaps imitative.]

scat (skāt) *n.* Any of several freshwater fishes of the genus *Scatophagus*, of tropical Asia and adjacent areas, having a flat, rounded, spotted or striped body, and popular as an aquarium fish. [Shortened from New Latin *Scatophagus*, from Greek *skatophagos*, SCATOPHAGOUS.]

scat (skāt) *n.* The excrement of an animal, especially a game animal. [Probably from SCATO-]

scathe (skāth) *tr. v.* scathed, scathing, scathes. 1. To harm or injure severely, especially by fire or heat; wither; sear. 2. To criticize severely. —*n.* Harm; injury. [Middle English *skathen*, from Old Norse *skadha*. See *skath-* in Appendix.]

scath-ing (skā'thīng) *adj.* 1. Extremely severe or harsh; bitterly denunciatory: "a scathing tract on the uselessness of war" (Pierre Brodin). 2. Harmful or painful; injurious.

scato-. Indicates feces or excrement; for example, *scatology*. [Greek *skato-*, from *skōr* (genitive *skatos*), dung, ordure. See *sker-* in Appendix.]

scatol-o-gy (skā-tōl'ə-jē, skā-) *n.* 1. The study of fecal excrement, as in medicine or paleontology. 2. a. An obsession with excrement or excretory functions. b. The psychiatric study of such an obsession. 3. Preoccupation with obscenity, as in literature. [SCATO- + -LOGY.] —**scat'-o-log'-ic** (skāt'ə-lōj'ī-kəl), **scat'-o-log'-ic** *adj.* —**scat'-o-log'-ist** *n.*

scataph-a-gous (skā-tōf'ə-gəs, skā-) *adj.* Feeding on dung, as a beetle or fly. [Greek *skatophagos*: SCATO- + -PHAGOUS.]

scat-ter (skāt'ər) *v.* -tered, -tering, -ters. —*tr.* 1. To cause to separate and go in various directions; disperse. 2. To distribute loosely by or as if by sprinkling or strewing. 3. *Physics*. To deflect (radiation or particles). —*intr.* 1. To separate and go in several directions; disperse. 2. To appear, occur, or fall at widely spaced intervals. —*n.* 1. The act of scattering. 2. The condition or extent of being scattered. 3. That which is scattered. [Middle English *scatteren*, possibly variant of *schāterēn*, SHATTER.] —**scat'-ter-er** *n.*

Synonyms: scatter, disperse, dissipate, dispel. These verbs are compared as they mean to cause something, considered as a mass or aggregate, to break up. *Scatter* usually refers to widespread and often haphazard distribution of components, as persons fleeing a storm or physical objects blown by wind. *Disperse* makes a stronger implication of complete breaking up of the mass, as a crowd of persons routed by police or a mass of clouds acted on by sunlight. *Dissipate* usually implies reduction to nothing, as by squandering (a fortune, time, or energy) or causing something (such as fog or mist) to evaporate. *Dispel* suggests making disappear as if by scattering; often it takes as its object something nonphysical, as a rumor, fear, joy, or doubt.

scat-ter-brain (skāt'ər-brān') *n.* A person lacking the power of concentration or attention; a flighty, disorganized, or thoughtless person. —**scat'-ter-brained'** *adj.*

scat-ter-good (skāt'ər-gōod') *n.* A spendthrift; wastrel.

scat-ter-ing (skāt'ər-īng) *n.* 1. a. The act or process of dispersing or scattering. b. The state of being dispersed or scattered. 2. A sparse distribution or irregular occurrence of something: a scattering of applause. 3. *Physics*. The dispersal of a beam of particles or of radiation into a range of directions resulting from physical interactions. —*adj.* Placed at intervals or occurring irregularly. —**scat'-ter-ing-ly** *adv.*

scatter pin. A small brooch often worn in groups of two or three as a decorative accessory for a woman.

scatter rug. A small rug for carpeting a part of a floor. Also called "throw rug."

scat-ter-shot (skāt'ər-shōt') *adj.* Covering a wide range in a random way: *scattershot testimony*. [SCATTER + SHOT.]

scaup (skōp) *n.* Either of two diving ducks, *Aythya marila* or *A. affinis*, having predominantly black and white plumage. Sometimes called "bluebill." [Perhaps from *scaup*, variant of *SCALP* (rare sense "bed of mussels"); because these ducks feed on shellfish.]

scaur. *Scottish*. Variant of *scar* (rock).

scavenge (skāv'ij) *v.* -enged, -enging, -enges. —*tr.* 1. To collect and remove refuse from; clean up. 2. To search through for salvageable material. 3. To collect (salvageable material) by searching. 4. To expel (exhaust gases) from a cylinder of an internal-combustion engine. 5. *Metallurgy*. To clean (molten metal) by chemically removing impurities. —*intr.* To search through discarded material for edible or useful things. [Back-formation from SCAVENGER.]

scav-en-ger (skāv'īn-jər) *n.* 1. An animal that feeds on dead animal flesh or other decaying organic matter. 2. One who scavenges. 3. *Chemistry*. A substance added to a mixture to remove impurities or to counteract the undesirable effects of other constituents. [Earlier: *scavenger*, street-cleaner; Middle English *scawger*, collector of tolls; from Norman French *scawager*, from *scavage*, a toll levied on foreign merchants; variant of Old North French *escauwege*; inspection; from *escauer*, to inspect; from Flemish *scawuen*, to look at. See *keu-* in Appendix.]

sce-nar-i-o (sī-nār'ē-ō, sī-nār'-) *n.*, *pl.* -os. 1. An outline of the plot of a dramatic or literary work. 2. A screenplay. (See) 3. An outline of a hypothesized chain of events. [Italian, "scenery," from Late Latin *scenarius*; of the stage; from Latin *scena*; stage; SCENE.]

sce-nar-ist (sī-nār'ist, sī-nār'-) *n.* A writer of screenplays. **scend** (sēnd) *intr. v.* scended, scending, scends. Also *send*. To

heave upward on a wave or swell. —*n.* Also *cond*. The movement of a ship on a wave or swell. [Perhaps from *scend*, short for DESCEND or ASCEND.]

scene (sēn) *n.* 1. A locality as seen by a viewer; view; surroundings and place where an action or event occurs. 2. *Abbr. oc.* The place in which the action of a narrative setting; locale. 3. *Abbr. oc.* A subdivision of an act in a dramatic presentation in which the setting is fixed and continuous. 4. *Abbr. oc.* A shot or series of shots constituting a unit of continuous related action. 5. The and properties for a dramatic presentation. 6. *Abbr. oc.* A real or fictitious episode, especially as described. 7. A public display of passion or temper. 8. A place or realm of the currently fashionable. 9. —*behind the scenes*. 1. Backstage. 2. In private.

scene. *Slang*. To participate in an activity or event. **scène**, from Old French *scene*, stage; stage performance. Latin *scena*, stage, scene, theater, from Greek *skēnē*. **scen-er-y** (sē'n-ə-rē) *n.* 1. The landscape. 2. The painted decorations on a theatrical stage. [Italian *scenaria*; from *scena*, scene. —*scenic* *adj.* —*scenic-ally* *adv.*

scent (sēnt) *n.* 1. A distinctive odor. 2. A perfume. 3. A trail left by the passing of an animal. 4. The trail of a hunted animal or fugitive. 5. The sense of smell. 6. A hint of something imminent; suggestion. —*See* Synonyms at smell. **scen-ting**, **scents**. —*tr.* 1. To perceive or identify by the sense of smell. 2. To suspect or detect as if by smelling. **scen-tist**. 3. To perfume. —*intr.* To hunt by means of the sense of smell. Used of hounds. [Middle English *sent*, from *senten*, to smell, scent, from Old French *sentir*, from Latin *sentire*; to feel. See *sent-* in Appendix.]

scep-ter (sēp'tər) *n.* Also chiefly British **scep-tre**. 1. A staff held by a sovereign on ceremonial occasions as an emblem of authority. 2. Sovereign office or power. —*tr. v.* **scep-tered**, **-tering**, **-ters**. Also chiefly British **scep-tered**, **-tered**, **-ting**, **-ters**. To invest with royal authority. [Middle English *sceptre*, from Old French, from Latin *sceptrum*, from Greek *skēptron*, "staff," "stick."] —**scep-tic**. Variant of *skeptik*.

sch. school. **Schau-dinn** (shou'din), **Fritz**. 1871–1906. German zoologist who discovered organism that causes syphilis.

Schaum-burg-Lip-pe (shoum'bōrk'lip'ə). A former state of northwestern Germany, now part of Lower Saxony, West Germany.

schav (shāv) *n.* A chilled soup made with sorrel, onions, lemon juice, eggs, and sugar, and served with sour cream. [Polish *szczaw*, sorrel, akin to Russian *shchavli*.]

sched-ule (skēj'ool, -ōō-əl, skēj'al; British shed'yool) *n.* 1. A formal written list of items, usually in tabular form, especially a listing of rates or prices. 2. a. A program of forthcoming events or appointments. b. A student's program of classes. 3. A timetable of departures and arrivals. 4. A production plan allotting work to be done and specifying deadlines. 5. A supplemental statement of details appended to a document. —*tr. v.* **sched-uled**, **-uling**, **-ules**. 1. To enter on a schedule. 2. To make up a schedule for. 3. To plan or appoint for a certain time or date. [Middle English *cedule*, *sedule*, slip of parchment or paper, short note, from Old French *cedule*, from Late Latin *schedula*, diminutive of Latin *scheda*, *scida*, papyrus leaf; from Greek *skhidē* (unattested), splinter of wood; from *skheirein*, to split. See *skel-* in Appendix.]

Schee-le (shā'le), **Karl Wilhelm**. 1742–1786. Swedish chemist who discovered many acids, gases, and elements.

schee-lite (shā'lit') *n.* A variously colored natural form of calcium tungstate, CaWO₄, found in igneous rocks and used as a source of tungsten. [Discovered by Karl Scheele.]

Sche-her-a-zā-de (shā'hēr'ə-zā'də, -zād'). The fictional narrator of *The Arabian Nights' Entertainments*.

Scheldt (skēlt). *Flemish & Dutch* **Schei-de** (skē'də), *French* **Es-caut** (ēs-kō'). A river rising in northern France and flowing 271 miles generally north through Belgium and the southern Netherlands to the North Sea.

Schel-ling (shēl'ing), **Friedrich Wilhelm Joseph von**. 1775–1854. German philosopher.

sche-ma (skē'mə) *n.*, *pl.* -mata (-mə-tə). A summarized or diagrammatic representation of something; an outline. [German *Schema*, from Greek *skhēma*, form. See *scheme*.]

sche-mat-ic (skē-māt'ik) *adj.* Pertaining to or in the form of a scheme or schema; diagrammatic. —*n.* A structural or procedural diagram, especially of an electrical or mechanical system.

sche-ma-tism (skē'mā-tiz'm) *n.* The patterned disposition of constituents within a given system.

sche-ma-tize (skē'mā-tiz') *tr. v.* -tized, -tizing, **-tizes**. To form into a scheme. [Greek *skhēmatizein*, to give a form to; from *skhēma*, form, manner. See *scheme*.] —**sche-mā-tiz-a-tion** (*skē'mā-tiz-ə-tion*) *n.*

scheme (skēm) *n.* 1. A systematic plan of action. 2. A coordinated combination of related or successive parts or things. 3. An underhand or secret plan; plot; intrigue. 4. A systematic plan. 5. A chart, diagram, or outline of a system or object. **schemed**; **scheming**; **schemes**. —*tr.* 1. To contrive a plan or scheme for. 2. To plot. —*intr.* To make a devious plan. [Latin *schēma*, form, figure, manner, from Greek *skhēma*, form, figure. —*See* *skel-* in Appendix.] —**schem'er** *n.*

Sche-nec-ta-dy (ske-nēk'tə-dē). A city and industrial center in New York State, in the east on the Mohawk River. Population, 77,000.

scher-zan-do (skēr-tsān'dō) *adj.* *Music*. Playful; sportive. See



scepter
Scepter of Charles V
of France



scaup
Aythya affinis
Lesser scaup

English
cas-
of cas-

castles.

Stew-
foreign

3. To
ate the

ing that
ount of

istance
sed as a
ric, used
n Latin,
lux.]

tellation
46 light-

rhology,
mnestra,
so called

is plant.

astor-oil
[Prob-
CASTOR.]
Ricinus
or orna-
from its

o remove
y. 3. To
—cas-

h colony
a island.

el Castro
ce 1959).
2. Unpre-
hout spe-
negligent.
ynonyms
emporary
intervals.
nit while
suel, from
ásus, fall.

nate acci-
is injured
ptured, or
il. Loss in
iddle Eng-

ees of the
few Latin
ance of its

s right and
ed dispar-
rom Latin

casuists or

f right and
application

event that
[war.]"
r F. domes-
of rats and
breeds and
ily Felidae.
The fur of a
5. A cat-o'-
b. A device
8. Slang. A
t out of the
ating, cats-
chor to the
cat(t), from
from Late

ample, cata-
ample, cata-
ids cata-
as in cata-
in category
according to

as in catechize. Greek *kata-*, from *kata*, down, down from, according to. See *kat-* in Appendix.*]

cat-a-bol-ism (kăt'ă-bŏl'iz'm) *n.* The metabolic change of complex into simple molecules. Compare *anabolism*. [From Greek *katabolē*, a throwing down, from *kataballein*, to throw down : *kata-*, down + *ballein*, to throw (see *gwel-* in Appendix*.)] —*cat'a-bol'ic* (kăt'ă-bŏl'ik) *adj.* —*cat'a-bol'i-cal-ly adv.*

cat-a-bol-ize (kăt'ă-bŏl'iz') *v.* -lized, -lizing, -lizes. —*tr.* To break down (complex molecules) by metabolic processes. —*intr.* To undergo catabolism.

cat-a-chre-sis (kăt'ă-kre'sis) *n., pl. -ses* (-sēz'). 1. a. Strained use of a word or phrase, as for rhetorical effect. b. A deliberately paradoxical figure of speech. 2. The use of a wrong word in a context. [Latin *catachresis*, from Greek *katachresis*, excessive use, misuse, from *katachrēsthai*, to misuse, make full use of : *kata-*, completely + *chrēsthai*, to use (see *gher-* in Appendix*.)] —*cat'a-chre'tic* (-kre'stik) *adj.*

cat-a-clysm (kăt'ă-kliz'm) *n.* 1. A violent and sudden change in the earth's crust. 2. Any violent upheaval. 3. A devastating flood. —See *Synonyms at disaster*. [French *cataclysm*, from Latin *cataclysmos*, deluge, flood, from Greek *kataklysmos*, from *katakluzein*, to deluge, inundate : *kata-*, down + *kluzein*, to wash (see *klu-* in Appendix*.)] —*cat'a-clys'mic* (-kliz'mik), *cat'a-clys'mal* (-kliz'məl) *adj.*

cat-a-combs (kăt'ă-kŏmz') *pl. n.* A series of underground chambers or tunnels with recesses for graves. [From Old French *catcombe*, a subterranean chamber, probably from Old Italian *catacomba*, from Late Latin *catacumbā*.]

cat-a-dro-mous (kăt'ă-tăd'rŏ-mŏs) *adj.* Migrating down river to breed in marine waters. Compare *anadromous*. [CATA- + -DROMOUS.]

cat-a-falque (kăt'ă-fălk', -fŏlk', -fŏk') *n.* The raised structure upon which a coffin rests during a state funeral. [French, from Italian *catafalco*, from Vulgar Latin *catafallum* (unattested), scaffold : Latin *cata-*, down from + *fala*, scaffold, siege tower, from Etruscan *fala*.]

cat-a-lan (kăt'ă-lăn', -ŏn) *adj.* Of or pertaining to Catalonia, its people, language, or culture. —*n.* 1. A native or inhabitant of Catalonia. 2. The Romance language of Catalonia.

cat-a-lase (kăt'ă-lās', -āz') *n.* An enzyme in the blood and tissues that catalyzes the decomposition of hydrogen peroxide into water and oxygen. [CATALYSIS + -ASE.]

cat-a-lec-tic (kăt'ă-lĕk'tik) *adj.* Designating a verse that lacks part of the last foot. [Late Latin *catalēcticus*, from Greek *katalēktikos*, incomplete, from *katalēgein*, to leave off : *kata-*, off, away + *lēgein*, to leave off, stop (see *sleg-* in Appendix*.)]

cat-a-lep-sy (kăt'ă-lĕp'sē) *n.* Muscular rigidity, lack of awareness of environment, and lack of response to external stimuli, often associated with epilepsy, schizophrenia, and hysteria. [Learned respelling of earlier *catalency*, from Middle English *cat lempsia*, from Medieval Latin *catalepsia*, from Late Latin *catalepsis*, from Greek *katalepsis*, "a seizing," from *katalambanein*, to seize : *kata-*, down from + *lambanein*, to take, seize (see *slegw-* in Appendix*.)] —*cat'a-lep'tic adj.*

cat-a-li-na Island. See *Santa Catalina*.

cat-a-lo (kăt'ă-lŏ') *n., pl. -loes or -los.* Also *cat-ta-lo*. A hardy, fertile hybrid resulting from a cross between the American buffalo, or bison, and domestic cattle. [CAT(TLE) + (BUFF)ALO.]

cat-a-logue (kăt'ă-lŏg', -ŏg') *n.* Also *cat-a-log* (only form for senses 2 and 3). *Abbr. cat.* 1. A systematized list, usually in alphabetical order, often with descriptions of the listed items. 2. *Library Service.* A card catalog (see). 3. *Library Service.* A publication containing such a list. —*v.* catalogued, -loguing, -logues. Also *cat-a-log*. —*tr.* To list in a catalogue; make a catalogue of. —*intr.* To make a catalogue. [Middle English *catologe*, from Old French *catalogue*, from Late Latin *catalogus*, an enumeration, from Greek *katálogos*, from *katalēgein*, to recount, enumerate : *kata-*, thoroughly + *lēgein*, to gather, speak (see *leg-* in Appendix*.)] —*cat'a-logu'er n.*

Cata-lŏ-ni-a (kăt'ă-lŏ-nē-ŏ, -nyā) *Spanish* *Ca-ta-lu-ni-a* (kăt'ă-lŏ-ni-ŏ) *n.* A region and former republic of northeastern Spain, bordering on France and the Mediterranean Sea.

cat-tal-pa (kăt'ă-tălp'a, -tŏlp'pə) *n.* Any of several chiefly North American trees of the genus *Catalpa*, having large leaves, showy clusters of whitish flowers, and long, slender pods. Also called "Indian bean." [Creek *kutuhlpa*, "head with wings" (from the shape of its flowers).]

cat-a-ly-sis (kăt'ă-tăl'ŏ-sis) *n.* The action of a catalyst, especially modification of the rate of a chemical reaction by a catalyst. [Greek *katalusis*, dissolution, from *kataluein*, to dissolve : *kata-*, down + *luein*, to loosen, release (see *leu-* in Appendix*.)] —*cat'a-ly'tic* (kăt'ă-lit'ik) *adj.* —*cat'a-ly'ti-cal-ly adv.*

cat-a-lyst (kăt'ă-lit) *n.* 1. *Chemistry.* A substance, usually present in small amounts relative to the reactants, that modifies; especially increases, the rate of a chemical reaction without being consumed in the process. 2. One that precipitates a process or event, especially without being involved in or changed by the consequences. [From CATALYSIS (by analogy with ANALYST and ANALYSIS).]

catalytic converter. A reaction chamber typically containing a finely divided platinum-iridium catalyst into which exhaust gases from an automotive engine are passed together with excess air so that carbon monoxide and hydrocarbon pollutants are oxidized to carbon dioxide and water.

catalytic cracker. An oil refinery unit in which catalytic cracking (see) of petroleum is performed.

cat-a-lyze (kăt'ă-liz') *tr. v.* -lyzed, -lyzing, -lyzes. To modify the rate of (a chemical reaction) as a catalyst. —*cat'a-lyz'er n.*

cat-a-ma-ran (kăt'ă-ma-răn') *n.* 1. A boat with two parallel

hulls. 2. A raft of logs or floats lashed together. [Tamil *kaṭṭumaram* : *kaṭṭu-*, to tie + *maram*, tree, timber.]

cat-a-me-ni-a (kăt'ă-mē-nē-ŏ) *n.* *Physiology.* Menses. [New Latin, from Greek *katamēnia*, neuter plural of *katamenios*, monthly : *kata-*, according to + *mēn*, month (see *mē-* in Appendix*.)] —*cat'a-me'ni-al adj.*

cat-a-mite (kăt'ă-mit') *n.* A boy kept by a pederast. [Latin *catamitus*, from *Catamitus*, Ganymede, from Etruscan *Catmite*, from Greek *Ganymēdēs*, GANYMEDE (cupbearer of the gods).]

cat-a-mount (kăt'ă-moun't) *n.* Also *cat-a-moun-tain* (kăt'ă-moun'tŏn). Any of various wild felines, such as a mountain lion or a lynx. [Short for *catamountain*, variant of earlier *cat of the mountain*.]

Ca-ta-ni-a (kă-tăn'yo; Italian *kă-tă'nyā*). The second-largest city of Sicily, Italy, on the eastern shore. Population, 364,000.

cat-a-pho-re-sis (kăt'ă-fŏ-rē'sis) *n.* *Chemistry.* Electrophoresis (see). [New Latin : CATA- + -PHORESIS.] —*cat'a-pho-ret'ic* (-rēt'ik) *adj.* —*cat'a-pho-ret'i-cal-ly adv.*

cat-a-phyll (kăt'ă-flil') *n.* *Botany.* A modified or rudimentary leaf, such as a bud scale. [CATA- + -PHYLL (translation of German *Niederblatt*, "lower leaf").]

cat-a-pla-sia (kăt'ă-plā'zhŏ, -zhē-ŏ) *n.* Degenerative reversion of cells or tissue to a less differentiated form. [New Latin : CATA- + -PLASIA.] —*cat'a-plas'tic* (-plās'tik) *adj.*

cat-a-plasm (kăt'ă-plāz'm) *n.* *Medicine.* A poultice (see). [Old French *cataplasme*, from Late Latin *cataplasma*, from Greek *kataplasma*, from *kataplassain*, to plaster over : *kata-*, thor-

oughly + *plassein*, to mold (see *plasma*).]

cat-a-pult (kăt'ă-pŭlt') *n.* 1. An ancient military machine for hurling large stones, arrows, or other missiles. 2. A mechanism for launching aircraft without a runway, as from the deck of a ship. 3. A slingshot. —*v.* catapulted, -putting, -puts. —*tr.* To hurl or launch from or as if from a catapult. —*intr.* To become catapulted; spring up abruptly. [Old French *catapulte*, from Latin *catapulta*, from Greek *katapultēs*, *katapeltes* : *kata-*, down + *pallein*, to sway, brandish (see *pōl-* in Appendix*.)]

cat-a-ract (kăt'ă-răkt') *n.* 1. A very large waterfall. 2. A great downpour. 3. *Pathology.* Opacity of the lens or capsule of the eye, causing partial or total blindness. [Middle English *cata-racte*, floodgate, from Old French, portcullis, cataract (of the eye), from Latin *catarractēs*, waterfall, portcullis, from Greek *katarh/rhaktēs*, "a down-swooping," from *katarassai*, to dash down : *kata-*, down + *rassein*, to strike (see *wrāgh-* in Appendix*.)]

ca-tarrh (kă-tăr') *n.* Inflammation of mucous membranes, especially of the nose and throat. [Old French *catarrhe*, from Late Latin *catarrhus*, from Greek *katarrhus*, a flowing down, from *katarrein*, to flow down : *kata-*, down + *rhein*, to flow (see *sreu-* in Appendix*.)] —*ca-tarr'h'al*, *ca-tarr'h'ous adj.*

cat-arrh-ine (kăt'ă-rin') *adj.* Of or designating a group of primates that includes the Old World monkeys, apes, and man, characterized by close-set nostrils directed forward or downward. —*n.* A catarrhine primate. [New Latin *Catarrhina*, from Greek *katarrhin*, hook-nosed : *kata-*, down + *rhis* (stem *rhin-*), nose (see *rhino-*).]

ca-tas-ta-sis (kă-tăs'tă-sis) *n., pl. -ses* (-sēz'). 1. In classical tragedy, the intensified part of the action directly preceding the catastrophe. 2. The climax of a play. [Greek *katastasis*, settlement, establishment, from *kathistanai*, to set in order, bring down : *kata-*, down + *histanai*, to set, place (see *stā-* in Appendix*.)]

ca-tas-tro-phe (kă-tăs'trŏ-fē) *n.* 1. A great and sudden calamity; disaster. 2. A sudden violent change in the earth's surface; cataclysm. 3. The denouement of a play, especially a classical tragedy. —See *Synonyms at disaster*. [Greek *katastrophē*, from *katastrephein*, to turn down, overturn : *kata-*, down + *strephein*, to turn (see *strebh-* in Appendix*.)] —*cat'a-stroph'ic* (kăt'ă-strŏf'ik) *adj.* —*cat'a-stroph'i-cal-ly adv.*

cat-a-to-ni-a (kăt'ă-tŏ-nē-ŏ) *n.* A schizophrenic disorder characterized by plastic immobility of the limbs, stupor, negativism, and mutism. [New Latin, from German *Katatonie* : CATA- + -TONIA.] —*cat'a-ton'ic* (-tŏn'ik) *adj.* & *n.*

Ca-taw-ba (kă-tŏ'ba) *n., pl. Catawba or -bas* (only form for sense 4). 1. A Siouan-speaking tribe of North American Indians formerly living along the Catawba River in the Carolinas. 2. A member of this tribe. 3. The Siouan language of this tribe. 4. A light-red North American grape developed from the fox grape, *Vitis labrusca*. 5. Wine made from these grapes.

Ca-taw-ba River (kă-tŏ'ba). A river rising in western North Carolina and flowing 250 miles into South Carolina.


cat-bird (kăt'bŭrd') *n.* A North American songbird, *Dumetella carolinensis*, having predominantly slate-gray plumage. [From one of its calls, resembling the mewing of a cat.]

cat-boat (kăt'bŏt') *n.* A broad-beamed sailboat carrying a single sail on a mast stepped well forward.


cat-bri-er (kăt'bri'er) *n.* Any of several thorny vines of the genus *Smilax*; especially, *S. rotundifolia*, having heart-shaped leaves, small green flowers, and blackish berries. Also called "greenbrier." [CAT + BRIER (from its prickles).]

cat-call (kăt'kŏl') *n.* A harsh or shrill call or whistle expressing disapproval or derision. —*v.* catcalled, -calling, -calls. —*tr.* To express disapproval of with catcalls. —*intr.* To sound catcalls.


catch (kăch) *v.* caught (kŏt), catching, catches. —*tr.* 1. To capture or seize, especially after a chase. 2. To take by trapping, or snaring. 3. To come upon suddenly, unexpectedly, or accidentally. 4. a. To lay hold of forcibly or suddenly; grasp. b. To grab so as to stop the motion of. 5. a. To overtake. b. To reach in time to board, attend, or the like. 6. a. To entangle; grip. b. To cause to become suddenly or accidentally hooked, en-



catapult
Roman catapult



catapla
Catapla bignonioides
Above: Leaves and pods
Below: Flower



catamaran

k kick/l lid
h ship, dish

light/th thin, path/th this, bathe/ŭ cut/ŭt urge/v valve/w with/y yes/z zebra, size/zh vision/ŏ about, item, edible, gallop, circus/
Fr. ami/cæ Fr. feu, Ger. schön/ŭ Fr. tu, Ger. über/KH Ger. ich, Scot. loch/n Fr. bon. *Follows main vocabulary. †Of obscure origin.

APPENDIX

1. (Previously Presented) Propellant for gas generators, comprising
 - (a) at least one fuel selected from the group consisting of guanidine nitrate, dicyanamide, ammonium dicyanamide, sodium dicyanamide, copper dicyanamide, tin dicyanamide, calcium dicyanamide, guanidine dicyanamide, aminoguanidine bicarbonate, aminoguanidine nitrate, triaminoguanidine nitrate, nitroguanidine, dicyandiamide, azodicarbonamide, tetrazole, 5-aminotetrazole, 5-nitro-1,2,4-triazole-3-on, salts and mixtures thereof;
 - (b) at least one of an alkali metal nitrate, an alkaline earth metal nitrate, ammonium nitrate, an alkali metal chlorate, an alkaline earth metal chlorate, ammonium chlorate, an alkali metal perchlorate, an alkaline earth metal chlorate, or ammonium perchlorate, and
 - (c) at least one essentially chemically-inert slag trap with a high fusion point, said slag trap being at least one of Al_2O_3 , TiO_2 , or ZrO_2 particles formed by a gas phase reaction so as to have a specific surface area of at least about $40 \text{ m}^2/\text{g}$.
2. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (a) is present in an amount of about 20 to 60 wt.-%, component (b) is present in an amount of about 38 to about 63 wt.-%, and component (c) is present in an amount of about 5 to 22 wt.-%.
3. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (a) is selected from the group consisting of nitroguanidine, 5-aminotetrazole, dicyandiamide, dicyanamide, sodium- and calcium dicyanamide, guanidine nitrate, and mixtures thereof.
4. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (b) is selected from the group consisting of sodium-, potassium- and strontium nitrate.

5. (Previously Presented) Propellant for gas generators according to claim 1, wherein a portion of the particles comprising component (c) include a layer of platinum metal or a metal alloy of platinum metals or copper in a catalytically effective thickness.

6. (Previously Presented) Propellant for gas generators according to claim 5, wherein the platinum metal is selected from ruthenium, osmium, rhodium, iridium, palladium and platinum.

7. (Previously Presented) Propellant for gas generators according to claim 5, wherein the metal alloy of platinum metals is at least one of a Pt/Pd alloy or a Pt/Rh alloy.

8. (Previously Presented) Propellant for gas generators according to claim 5, wherein the weight portion of the catalyst with respect to component (c) is 0.1 to 5 wt.-%.

9. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (a) is nitroguanidine, component (b) is strontium nitrate and component (c) is highly dispersed Al_2O_3 , TiO_2 or ZrO_2 .

10. (Original) Propellant for gas generators according to claim 9, wherein component (a) is present in an amount of 45 to 51 wt.-%, component (b) is present in an amount of 39 to 45 wt.-% and component (c) is present in an amount of 9 to 11 wt.-%, with respect to the total composition.

11. (Previously Presented) Propellant for gas generators according to claim 1, further including a component (d) that is at least one slag former selected from the group consisting of alkali metal carbonates, alkaline earth metal carbonates, alkali metal oxides, alkaline earth metal oxides, silicates, aluminates, aluminum silicates, silicon nitride and iron(III)oxide.

12. (Previously Presented) Propellant for gas generators according to claim 11, wherein component (d) is present in an amount of about 2 to 12 wt.-%.

13. (Previously Presented) Propellant for gas generators according to claim 1, further including a component (e) that is at least one binder being soluble in water at room temperature.

14. (Previously Presented) Propellant for gas generators according to claim 1, further including a component (e) that is at least one binder selected from the group consisting of cellulose compounds, polymers of one or more polymerizable olefinic unsaturated monomers, a metal salt of stearic acid being insoluble in water at room temperature and graphite.

15. (Previously Presented) Propellant for gas generators according to claim 14, wherein the binder is present in an amount of 0 to 2 wt.-%.

16. (Previously Presented) Propellant for gas generators according to claim 1, wherein the propellant is suitable for use as at least one of a gas-generating agent in airbags, an extinguishing agent or a propellant.

17. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (a) is present in an amount of about 28 to 52 wt.-%, component (b) is present in an amount of about 38 to about 55 wt.-%, and component (c) is present in an amount of about 8 to 20 wt.-%.

18. (Previously Presented) Propellant for gas generators according to claim 1, wherein component (a) is present in an amount of about 45 to 51 wt.-%, component (b) is present in an amount of about 39 to about 45 wt.-%, and component (c) is present in an amount of about 9 to 11 wt.-%.

19. (Previously Presented) Propellant for gas generators according to claim 5, wherein the weight portion of the catalyst with respect to component (c) is 0.2 to 1.2 wt.-%.

20. (Previously Presented) Propellant for gas generators according to claim 11, wherein component (d) is present in an amount of about 4 to 10 wt.-%.

21. (Previously Presented) Propellant for gas generators according to claim 14, wherein the binder is present in an amount of 0.3 to 0.8 wt.-%.

22. (Previously Presented) Propellant for gas generators, comprising

(a) at least one fuel selected from the group consisting of guanidine nitrate, dicyanamide, ammonium dicyanamide, sodium dicyanamide, copper dicyanamide, tin dicyanamide, calcium dicyanamide, guanidine dicyanamide, aminoguanidine bicarbonate, aminoguanidine nitrate, triaminoguanidine nitrate, nitroguanidine, dicyandiamide, azodicarbonamide, tetrazole, 5-aminotetrazole, 5-nitro-1,2,4-triazole-3-on, salts and mixtures thereof;

(b) at least one of an alkali metal nitrate, an alkaline earth metal nitrate, ammonium nitrate, an alkali metal chlorate, an alkaline earth metal chlorate, ammonium chlorate, an alkali metal perchlorate, an alkaline earth metal chlorate, or ammonium perchlorate, and

(c) at least one essentially chemically-inert slag trap with a high fusion point, said slag trap being at least one of highly dispersed Al_2O_3 , TiO_2 , or ZrO_2 particles formed by a gas phase reaction so as to have a specific surface area of at least about $40 \text{ m}^2/\text{g}$.

23. (Previously Presented) Propellant for gas generators, comprising
- (a) at least one fuel selected from the group consisting of guanidine nitrate, dicyanamide, ammonium dicyanamide, sodium dicyanamide, copper dicyanamide, tin dicyanamide, calcium dicyanamide, guanidine dicyanamide, aminoguanidine bicarbonate, aminoguanidine nitrate, triaminoguanidine nitrate, nitroguanidine, dicyandiamide, azodicarbonamide, tetrazole, 5-aminotetrazole, 5-nitro-1,2,4-triazole-3-on, salts and mixtures thereof;
 - (b) at least one of an alkali metal nitrate, an alkaline earth metal nitrate, ammonium nitrate, an alkali metal chlorate, an alkaline earth metal chlorate, ammonium chlorate, an alkali metal perchlorate, an alkaline earth metal chlorate, or ammonium perchlorate, and
 - (c) at least one essentially chemically-inert slag trap with a high fusion point, said slag trap being at least one of highly dispersed Al_2O_3 , TiO_2 , or ZrO_2 particles formed by a gas phase reaction so as to have a specific surface area of at least about $40 \text{ m}^2/\text{g}$, wherein a portion of the particles include a layer of platinum metal or a metal alloy of platinum metals or copper in a catalytic effective thickness.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.